



1430 Jason Way Santa Maria, California 93455 Phone: 805/928-7772 Fax: 805/928-0342

www.KirbyMorgan.com email: kmdsi@KirbyMorgan.com

Part #325-105 Deluxe First Stage Rebuild Kit

PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
310-003	O-ring	4	410-010	O-ring	1
310-022	O-ring	1	430-060	Retainer Ring	1
310-023	O-ring	1	510-008	O-ring	1
310-115	O-ring	1	510-010	O-ring	1
330-320	Lock Nut	1	510-011	O-ring	1
350-120	Seat	1	510-012	O-ring	3
355-035	Filter	1	510-013	O-ring	2

*See next page for O-ring Identification

O-rings should be lightly lubricated with Christo-Lube* or equivalent. At a minimum, O-rings should be replaced at least once a year. During daily and monthly maintenance, O-rings and valves may be reused providing no damage or deformation is found. O-rings and valves may require replacement more often than yearly, if the use is extreme, or if the 1st stage is used in waters containing oil or chemical contamination. Daily cleaning and inspections as well as performing the will identify the need more accurately than simply placing a number of hours between overhaul. Store spare O-rings, valves and soft goods in a cool, dark, dry place. Avoid prolonged exposure to temperatures above 90 degrees Fahrenheit and/or exposure to ultra violet rays.

A CAUTION

Use only KMDSI original replacement parts. The use of other manufacturers' parts will interfere with the performance characteristics of your life support equipment and may jeopardize your safety. Additionally, any substitutions will void any warranties offered by KMDSI. When ordering spares, always insist on Kirby Morgan Genuine Parts.




Kirby Morgan Dive Systems, Inc.®

1430 Jason Way Santa Maria, California 93455 Phone: 805/928-7772 Fax: 805/928-0342

www.KirbyMorgan.com email: kmdsi@KirbyMorgan.com





KERBY MORGAN'